

Approaching the Vaccine-Hesitant Parent using C-A-S-E

Robert M Jacobson, MD, FAAP
Professor of Pediatrics, Mayo Clinic

Disclosures

- Potential conflict
 - Principal Investigator
 - Adult PCV13 Prevnar 13 vaccine (Pfizer)
 - Menveo MCV4 vaccine (Novartis)
 - Safety Review Committee Member
 - Gardasil HPV4 vaccine (Merck)
 - Data and Safety Monitoring Board Member
 - 15-valent PCV (Merck)
- No off-label use discussion

Learning Objectives

- Relate a new approach to vaccine hesitancy
- Identify each of its 4 components
- Describe how it works in 3 common scenarios

The State of Vaccination

- The anti-vaccine movement is thriving
 - Successful vaccination makes its value invisible
 - Media seeks to portray controversy, “both sides”
 - Americans culturally opposed to “public health”
- Vaccine hesitancy major issue
 - Not just among exemptors and delayers
 - Even 25 to 30% of those up-to-date
- Education or information-transfer insufficient
- Both clinician and parent struggle

The Clinician in the Office

- Has little time for discussion
- Suffers a sense of rejection as wise advisor
- Feels sense of futility
- Recognizes problem of health illiteracy

The Parent in the Office

- Would like to be heard
- Wishes to be respected
- Seeks credible information
- Wants control; wants to make decision

Studies of Parents

- Want their children to be healthy
- Seek to make rational decisions
- Weigh benefits and risks
- Respect the clinician as trusted source
- Draw from the available evidence
 - Their own experience with the diseases
 - Their own experiences with the vaccine
 - What they hear from the media, family, friends
 - What they hear from the clinician

What the CDC Recommends

- Take time to listen...
- Solicit and welcome questions...
- Acknowledge risks and benefits...
- Have both science and stories available...

Take Time to Listen

- Eye-to-eye contact
 - Not just as you speak
 - But also as you listen
- Let the parent finish speaking
- Resist the urge to multi-task during conversation

Solicit and Welcome Questions

- Ask for questions
- Convey that you have time to answer these
- Give short enough answers that more is welcome

Acknowledge Risks and Benefits

- While severe side effects happen, they are rare
- The VIS lists known side effects
- OK to note that not vaccinating is also risky

Have Both Science and Stories Available

- While you may feel safer with scientific info...
- ...Most parents prefer experiences you can share

The C.A.S.E. for Vaccines

- A new model for talking to parents
- A mnemonic to organize a rapid, useful response
- Draws from Aristotelian teaching on rhetoric
- Created by Alison Singer, MD
 - President
 - Autism Science Foundation
- Lacks published studies of its efficacy
- Nonetheless has face validity, historical roots
- Lacks competing alternatives

The CASE Acronym

- **C**orroborate
- **A**bout Me
- **S**cience
- **E**xplain/Advise

The CASE Approach

- **Corroborate:**
 - Acknowledge the parents' concern and find some point on which you can agree; set the tone for a respectful, successful talk
- **About Me:**
 - Describe what you have done to build your knowledge base and expertise
- **Science:**
 - Relate what the science says
- **Explain/Advise:**
 - Explain your advice to patient, based on the science

Break Up in Twos

- **Corroborate:**
 - Acknowledge the parents' concern and find some point on which you can agree; set the tone for a respectful, successful talk


WHAT PHRASING HAVE
YOU FOUND HELPFUL
WHEN A PARENT
HESITATES ABOUT...
...ANYTHING...?

Corroborate

- “What is your main concern?”
 - Don’t permit a vague refusal
 - Make the parent get specific
- Then
 - “That's a valid concern”
 - “When I heard that, I sought out answers myself”
 - “We both want your child to be free of illness and injury”
 - “We both want to avoid unnecessary medications and their side effects”

Break Up in Twos

- **About Me:**
 - Describe what you have done to build your knowledge base and expertise




DO YOU EVER TALK
ABOUT THIS SORT OF
THING WITH YOUR
PARENTS? WHAT HAVE
YOU SAID?

About Me

- “I’m committed to your child’s health, and I’ve dedicated my career to that work”
- “I’ve been studying medicine and pediatrics now for *X* years”
- “One of the areas where I read a great deal is about infections, immunity, and vaccination”
- “Vaccinations represent a major part of my professional effort as your child’s pediatrician”

Break Up in Twos

- **Science:**
 - Relate what the science says




DO YOU TALK ABOUT
THE SCIENCE TO YOUR
PATIENTS' PARENTS?
HOW DO YOU
INTRODUCE THAT?

Science

- “Vaccines are better studied than any other medicine I prescribe or test I order”
- “Each vaccine is safer than any medicine I prescribe”
- “Vaccines are not fool-proof but they are the most effective means to prevent certain injuries and illnesses”
- “The decision what to give when is based on the vaccine’s effectiveness, safety, and specific need for the child at that particular age”

Break Up in Twos

- **Explain/Advise:**
 - Explain your advice to patient, based on the science



WHAT'S YOUR BOTTOM
LINE? HOW DO YOU
PHRASE YOUR
RECOMMENDATIONS?

Explain/Advise

- “That’s why I am recommending this vaccine”
- “If this were my child, I would be vaccinating her today”
- “I got this vaccine”
- “I made sure my children got these vaccines”
- “That’s why if I were you, I would be getting these vaccines for your child”

C is for Corroborate

- “You and I ultimately want the same thing for your child.”
- “We want your child health and free of disease and injury.”
- “I know you are worried, scared.”
- “It is my job to help you with your concerns.”

A is for About Me

- “I am a professional not only committed to that, but trained and educated in the science of health and medicine.”
- “That includes vaccination.”
- “My expertise is why you came to see me.”

S is for Science

- “The vaccines I am recommending are the vaccines I believe your child needs.”
- “These vaccines have been proven both effective age as well as safe for children your child's age.”

E is for Explain/Advise

- “Here is my advice: get this vaccine today—it’s safe, it’s effective, and your child will benefit”
- “If your child were mine, I would do this.”
- “In fact, doing so may be more valuable to you than anything else we do in this visit.”

Three Common Concerns

- Vaccines may cause autism
- Too many vaccines too soon is harmful
- The vaccine(s) is no longer necessary

The CASE against Autism

- **Corroborate:**
 - “There’s certainly been a lot on TV and the internet about vaccines and autism so I can understand why you have questions”
- **About Me:**
 - “I always want to make sure I’m up to date on the latest information so that I can do what’s best for my patients, so I’ve researched this thoroughly.
 - “In fact, I just returned from a professional conference where experts reviewed the actual evidence”

More Against Autism

- **Science:**
 - “The evidence does not support that measles vaccine, the MMR, or any vaccine causes autism.
 - “The CDC, the AAP, the NIH, the IOM, and others have all reviewed the data
 - “All reached the same conclusion.
 - “Dozens of studies have been done.
 - “None show a link.”

Finishing the CASE against Autism

- **Explain/Advise:**
 - “Vaccines are critical to preventing death, disease, and disability.
 - “They prevent diseases that cause real harm.
 - “Choosing not to vaccinate does not protect children for autism, but does leave them at risk for disease.
 - Children need these vaccines.”

The CASE against Vaccine Overload

- **Corroborate:**
 - “Children today certainly get more shots than they did years ago.”
- **About Me:**
 - “Our practice follows the CDC schedule because it is carefully designed to protect children at the time they are most vulnerable to disease.
 - “I’ve read through the recommendations carefully...”

More against Vaccine Overload

- **Science:**
 - “Although children get more shots today, they actually receive fewer immune-reactive antigens than when they got fewer shots, because technology has enabled us to make vaccines that have only the part of the cell that induces immune response.
 - “Plus, the immunological challenge from a vaccine is nothing compared to what kids fight off every day.
 - “An ear infection is a bigger immunological challenge.”

Finishing Up against Overload

- **Explain:**
 - “We want all the kids in our practice to be immunized so that they have the greatest chance for a long, healthy life.
 - “If your daughter were my daughter, and I was sitting in your shoes, holding her in my lap, I would be getting her vaccinated today.”

The CASE against Unnecessary

- Corroborate:
 - “I can understand why you might feel that way.
 - “Most of the time when our children get the flu, we don’t test for it, and so parents don’t know when their children have had the flu.”

More against Unnecessary

- **About Me:**
 - “I used to think that children never got the flu but the studies are compelling.
 - “In retrospect those sore throats with fever with negative strep testing were often the flu.
 - “Same thing with the viruses leading up to ear infections”
 - “Same thing with fevers and coughs that made us worry about pneumonia.”

More against Unnecessary

- **Science:**
 - “The hospitalization rates in infants less than 2 due to the flu rival the rates in the elderly
 - “More than 40% of school children get the flu on average every year”
 - “The vaccine works really well; it reduces the risk by 45 to 90% depending on the year”

Finishing Up against Unnecessary

- **Explain:**
 - “We care about our patients and don’t want to practice substandard care.
 - “All our patients need to be vaccinated against the flu.”
 - “My children are fully vaccinated.”
 - “I am too.”

The CASE Approach

- **Corroborate:**
 - Acknowledge the parents' concern and find some point on which you can agree; set the tone for a respectful, successful talk
- **About Me:**
 - Describe what you have done to build your knowledge base and expertise
- **Science:**
 - Describe what the science says
- **Explain/Advise:**
 - Give your advice to patient, based on the science

Classic Aristotelian Rhetoric

- Aristotle taught the CASE method
 - To persuade one needs more than just evidence
 - Need three things
 - **Logos** (the information and reasoning you have)
 - **Pathos** (your passion, compassion, and conviction)
 - **Ethos** (your professional standing w/ the parent)

Rationale

- Information alone insufficient
- It's an emotional information too
 - One needs to feel good about the decision
 - One has to feel strongly about the decision
- Your role is more than just a technician's

The CASE Approach

- **Corroborate:**
 - Acknowledge the parents' concern and find some point on which you can agree; set the tone for a respectful, successful talk (**PATHOS**)
- **About Me:**
 - Describe what you have done to build your knowledge base and expertise (**ETHOS**)
- **Science:**
 - Describe what the science says (**LOGOS**)
- **Explain/Advise:**
 - Give your advice to patient, based on the science (**PATHOS**)

Your Sources of Information

- Parents want more than information
 - Wants to trust you because of who you are (ethos)
 - Expects you to have passion for what you advise (pathos)
- You on the other hand want data you can trust
 - What are the actual recommendations?
 - What are the data that support these?
 - Where can you find information to support your CASE?

Source of Recommendations

- Advisory Committee on Immunization Practices (ACIP)
- Group of volunteer experts
- Meets three times a year
- Organized by Centers for Disease Control and Prevention (CDC)
- Sole source of federal vaccine recommendations for civilian population
 - The federal government does not require vaccines
 - School and daycare mandates are state-based

ACIP Recommendations

- 2012 Child & Adolescent Immunization Schedule
- Updated at least annually in January
- Provides catch-up schedule too
- Published widely in dozens of journals
- Available on line from the CDC Vaccines site
 - www.cdc.gov/vaccines
- AAP and AAFP harmonize with CDC ACIP
- Also publishes the Adult Schedule

Vaccine-Specific Details

- ACIP publishes its recommendations in MMWR
- These provide details
 - Dose and route
 - Timing variations and exceptions
 - Contraindications and precautions
 - Other issues
 - Basis for recommendations
 - Well-referenced
- Know how to find them starting at CDC vaccines

Specific Advice re Parents

- **Understanding Vaccines and Vaccine Safety Resources for Vaccine Conversations**
- Fact sheets provide information about vaccine testing, safety, monitoring, and the process for establishing the US immunization schedule
- Let's find it and review its contents
- Start at the CDC vaccines site
www.cdc.gov/vaccines

CDC Information

- Don't plan on printing and giving to parents
- Don't plan on emailing them the links
- Instead read and remember to make your CASE

Other Sources

- **AAP Provider Resources**
www2.aap.org/immunization
- **AAP Parent Resources**
www.healthychildren.org
- **IAC Provider Resources**
www.immunize.org
- **MNAAP**
www.mnaap.org

Summary

- Persuade rather than inform
 - CASE
 - Corroborate → About Me → Science → Explain/Advise
 - Aristotelian Rhetoric
 - Pathos → Ethos → Logos → Pathos
- Know your sources of information
 - ACIP and its recommendations
 - CDC and its resources

