

Pediatric Preventive Care: Adolescent Mental Health and/or Depression Screening

Patients ages 12 to 17 years

Glenace Edwall, PhD, PsyD , LP, M.P.P
Minnesota Department of Human Services

Tools that screen specifically for depression

- Beck Depression inventory (BCDI-PC)
- Beck Depression inventory- 21Q
- Beck Depression Inventory Fast Screen (BDI-FS)- 7Q
- Child Depression Inventory (CDI)
- Columbia Depression Scale
- Kutcher Depression Scale
- Patient Health Questionnaire –PHQ9 M
- Patient Health Questionnaire –PHQ9
- Patient Health Questionnaire- PHQ2
- Short Mood Feeling Questionnaire (SMFQ)

Tools that screen for other mental health conditions

- Brief Impairment Scale (BIS)
- Children's Global Assessment Scale (C-GAS)
- Connors Rating Scales
- GAIN-SS depression and substance abuse screening tool
- Pediatric Symptom Checklist-17
- Pediatric Symptom Checklist-35 parent version
- Pediatric Symptom Checklist- 35 youth self-report (Y-SR)
- Self- Report for Childhood anxiety related emotional disorders (SCARED)
- Spence Children's Anxiety Scale
- Strengths and Difficulties Questionnaire (SDQ)
- Vanderbilt Diagnostic Rating Scales-Parent